



# Liberty ID-WSF 2.0 Static Conformance Requirements

Version: 1.0-05

**Editors:**

Greg Whitehead, Trustgenix, Inc.

**Contributors:**

Eric Tiffany, IEEE-ISTO

John Kemp, Nokia Corporation

Jonathan Sergent, Sun Microsystems, Inc.

Robert Aarts, Trustgenix, Inc.

Paul Madsen, Nippon Telegraph and Telephone Corporation

**Abstract:**

Defines the static conformance requirements for the Liberty Alliance ID-WSF 2.0 specifications.

**Filename:** draft-liberty-idwsf-2.0-scr-v1.0-05.pdf

1 **Notice**

2 This document has been prepared by Sponsors of the Liberty Alliance. Permission is hereby granted to use the  
3 document solely for the purpose of implementing the Specification. No rights are granted to prepare derivative works  
4 of this Specification. Entities seeking permission to reproduce portions of this document for other uses must contact  
5 the Liberty Alliance to determine whether an appropriate license for such use is available.

6 Implementation of certain elements of this document may require licenses under third party intellectual property  
7 rights, including without limitation, patent rights. The Sponsors of and any other contributors to the Specification are  
8 not, and shall not be held responsible in any manner for identifying or failing to identify any or all such third party  
9 intellectual property rights. **This Specification is provided "AS IS", and no participant in the Liberty Alliance  
10 makes any warranty of any kind, express or implied, including any implied warranties of merchantability,  
11 non-infringement of third party intellectual property rights, and fitness for a particular purpose.** Implementors  
12 of this Specification are advised to review the Liberty Alliance Project's website (<http://www.projectliberty.org/>) for  
13 information concerning any Necessary Claims Disclosure Notices that have been received by the Liberty Alliance  
14 Management Board.

15 Copyright © 2006 Adobe Systems; America Online, Inc.; American Express Company; Amsoft Systems Pvt Ltd.;  
16 Avatier Corporation; Axalto; Bank of America Corporation; BIPAC; BMC Software, Inc.; Computer Associates  
17 International, Inc.; DataPower Technology, Inc.; Diversinet Corp.; Enosis Group LLC; Entrust, Inc.; Epok, Inc.;  
18 Ericsson; Fidelity Investments; Forum Systems, Inc.; France Télécom; French Government Agence pour le  
19 développement de l'administration électronique (ADAE); Gamefederation; Gemplus; General Motors; Giesecke &  
20 Devrient GmbH; GSA Office of Governmentwide Policy; Hewlett-Packard Company; IBM Corporation; Intel  
21 Corporation; Intuit Inc.; Kantega; Kayak Interactive; MasterCard International; Mobile Telephone Networks (Pty)  
22 Ltd; NEC Corporation; Netegrity, Inc.; NeuStar, Inc.; Nippon Telegraph and Telephone Corporation; Nokia  
23 Corporation; Novell, Inc.; NTT DoCoMo, Inc.; OpenNetwork; Oracle Corporation; Ping Identity Corporation;  
24 Reactivity Inc.; Royal Mail Group plc; RSA Security Inc.; SAP AG; Senforce; Sharp Laboratories of America;  
25 Sigaba; SmartTrust; Sony Corporation; Sun Microsystems, Inc.; Supremacy Financial Corporation; Symlabs, Inc.;  
26 Telecom Italia S.p.A.; Telefónica Móviles, S.A.; Trusted Network Technologies; Trustgenix; UTI; VeriSign, Inc.;  
27 Vodafone Group Plc.; Wave Systems Corp. All rights reserved.

28 Liberty Alliance Project  
29 Licensing Administrator  
30 c/o IEEE-ISTO  
31 445 Hoes Lane  
32 Piscataway, NJ 08855-1331, USA  
33 info@projectliberty.org

## 34 Contents

35	1. Overview	5
36	1.1. Framework Version	5
37	1.2. Definitions and Motivation	5
38	1.3. Notation	5
39	2. Conformance Profiles	7
40	2.1. Profile Matrix	7
41	2.2. Web Service Consumer (WSC) Common Conformance Profile	7
42	2.2.1. Basic SOAP Binding	7
43	2.2.2. Basic Security Mechanisms	8
44	2.3. Web Service Provider (WSP) Common Conformance Profile	8
45	2.3.1. Basic SOAP Binding	8
46	2.3.2. Basic Security Mechanisms	8
47	2.4. SAML Service Provider (SP) Web Service Consumer (WSC) Conformance Profile	9
48	2.4.1. WSC Common	9
49	2.4.2. SAML SP WSC SOAP Binding	9
50	2.4.3. SAML SP WSC Security Mechanisms	9
51	2.4.4. SAML DS Bootstrap	9
52	2.4.5. SSO Service	9
53	2.4.6. Service Discovery and Service Invocation	10
54	2.4.7. Group & User Management and Invitations	10
55	2.5. Liberty User Agent or Device (LUAD) Web Service Consumer (WSC) Conformance Profile	10
56	2.5.1. WSC Common	10
57	2.5.2. LUAD	10
58	2.5.3. Authentication Service	10
59	2.5.4. SSO Service	11
60	2.5.5. Service Discovery and Service Invocation	11
61	2.5.6. Group & User Management and Invitations	11
62	2.6. SAML Service Provider (SP) Web Service Provider (WSP) Conformance Profile	11
63	2.6.1. WSP Common	11
64	2.6.2. Service Registration	11
65	2.7. Liberty User Agent or Device (LUAD) Web Service Provider (WSP) Conformance Profile	12
66	2.7.1. WSP Common	12
67	2.7.2. LUAD	12
68	2.7.3. Service Registration	12
69	2.8. SAML Identity Provider (IdP) Conformance Profile	12
70	2.8.1. SAML DS Bootstrap	12
71	2.9. ID-WSF Identity Provider (IdP) Conformance Profile	13
72	2.9.1. Authentication Service	13
73	2.9.2. SSO Service	13
74	2.9.3. Identity Mapping Service	13
75	2.10. Discovery Service (DS) Conformance Profile	13
76	2.10.1. WSP Common	13
77	2.10.2. LUAD	13
78	2.10.3. Service Registration and Discovery	13
79	2.11. People Service (PS) Conformance Profile	14
80	2.11.1. WSP Common	14
81	2.11.2. LUAD	14
82	2.11.3. Group & User Management and Invitations	14
83	2.12. Interaction Service (IS) Conformance Profile	14
84	2.12.1. WSP Common	14
85	2.12.2. LUAD	14
86	2.12.3. Interaction Service	14

---

87 [References](#) ..... 15

## 88 1. Overview

89 Static conformance requirements (SCR) describe features that are mandatory and optional for implementations  
90 conforming to the Liberty Alliance Identity Web Service Framework (ID-WSF) Specifications:

- 91 • [LibertySOAPBinding \(v2.0\)](#)
- 92 • [LibertySecMech \(v2.0\)](#)
- 93 • [LibertySecMech20SAML \(v2.0\)](#)
- 94 • [LibertyDisco \(v2.0\)](#)
- 95 • [LibertyInteract \(v2.0\)](#)
- 96 • [LibertyPAOS \(v2.0\)](#)
- 97 • [LibertyAuthn \(v2.0\)](#)
- 98 • [LibertyClientProfiles \(v2.0\)](#)
- 99 • [LibertyPeopleService \(v1.0\)](#)

100 This document defines these requirements. This is a normative document with several non-normative explanatory  
101 sections.

### 102 1.1. Framework Version

103 This specification defines framework version 2.0 (see SOAP Binding Framework header, as described in [[LibertySOAPBinding](#)]).  
104

### 105 1.2. Definitions and Motivation

106 The Liberty specifications define a large number of features and variations. Applications often do not require all  
107 the features within a specification. It is also possible that implementations may not be able to implement all the  
108 features. In these cases, it may be desirable to partition the specifications into subsets of functionality. A profile is  
109 a subset of the overall specifications that includes all of the functionality necessary to satisfy the requirements of a  
110 particular community of users. This document identifies several Liberty conformance profiles based on subsets of  
111 these specifications according to the following guidelines:

- 112 • The number of conformance profiles should be kept small.
- 113 • The profiles should correspond to the major roles within the specifications: Web Service Consumer (WSC), Web  
114 Service Provider (WSP), Identity Provider (IdP), Discovery Service (DS), Interaction Service (IS), and People  
115 Service (PS).
- 116 • The SCR should distinguish between software implementations and deployments. Allow deployments to option-  
117 ally configure features that are mandatory in the conformance profiles.
- 118 • The SCR should place more stringent requirements on service providers as compared with service consumers to  
119 promote interoperability.
- 120 • Implementations conforming to one (or more) profiles should be able to interoperate with another conforming  
121 implementation of a complementary profile.

122 The resulting profiles are described below by means of tables indicating mandatory and optional features, with  
123 references to the appropriate sections of the specification documents.

### 124 **1.3. Notation**

125 The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD  
126 NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this specification are to be interpreted as described in  
127 [RFC2119]: "they MUST only be used where it is actually required for interoperation or to limit behavior which has  
128 potential for causing harm (e.g., limiting retransmissions)."

129 The normative sections of this document are identified with special formatting as indicated here:

130       **EXAMPLE**     This is an example of the format of the normative requirements. Each requirement is identified  
131                       by a requirement identifier ("EXAMPLE" in this example).

132 **2. Conformance Profiles**

133 **2.1. Profile Matrix**

134 The following tables summarize the features that comprise the conformance profiles. The detailed specifications for  
135 each profile follow in subsequent sections.

136 **Table 1. Abstract Profile Matrix**

Feature	WSC Common	WSP Common
Basic SOAP Binding	MUST	MUST
Basic Security Mechanisms	MUST	MUST

137 **Table 2. Concrete Profile Matrix**

Feature	SAML SP WSC	LUAD WSC	SAML SP WSP	LUAD WSP	SAML IdP	ID-WSF IdP	DS	PS	IS
WSC Common	MUST	MUST							
WSP Common			MUST	MUST			MUST	MUST	MUST
SAML SP WSC SOAP Binding	MUST								
SAML SP WSC Security Mechanisms	MUST								
LUAD		MUST		MUST			OPT	OPT	OPT
SAML DS Bootstrap	MUST				MUST				
Authentication Service		MUST				MUST			
SSO Service	OPT	OPT				MUST			
Identity Mapping Service						MUST			
Service Registration			OPT	OPT			MUST		
Service Discovery	MUST	MUST					MUST		
Service Invocation	MUST	MUST							
Group & User Management	OPT	OPT						MUST	
Invitations	OPT	OPT						OPT	
Interaction Service									MUST

138 **2.2. Web Service Consumer (WSC) Common Conformance Profile**

139 This section defines the common conformance requirements for all Web Service Consumer Profiles.

140 **2.2.1. Basic SOAP Binding**

141 Conforming WSCs MUST support the following SOAP Binding features

142 **wsc-soapbind-001** The WSC MUST conform to the requirements for sending SOAP-bound ID-\* messages  
143 and receiving their responses, as described in sections 4 and 5 of [[LibertySOAPBinding](#)].  
144 This includes support for sending and processing all required headers, and for failing if any  
145 unsupported Header is received with a `mustUnderstand` attribute set to true.

146 **wsc-soapbind-002** The WSC MUST support processing of the EndpointUpdate Header, as described in [[LibertySOAPBinding](#)]. Specifically, the WSC MUST (a) be able to retry an operation as specified  
147 by a EndpointUpdate Header received in combination with an EndpointMoved Fault and (b) be  
148 able to accept new credentials for use in subsequent operations as specified by a EndpointUp-  
149 date Header received in combination with a normal response Body.  
150

## 151 2.2.2. Basic Security Mechanisms

152 Conforming WSCs MUST be able to construct and send ID-WSF messages using the following Security Mechanisms:

153 **wsc-secmech-001** The WSC MUST be able to construct and send ID-WSF messages using (at a minimum)

- 154 • urn:liberty:security:2003-08:null:null
- 155 • urn:liberty:security:2005-02:null:Bearer
- 156 • urn:liberty:security:2003-08:TLS:null
- 157 • urn:liberty:security:2005-02:TLS:Bearer

158 as described in section 6 of [[LibertySecMech](#)].

## 159 2.3. Web Service Provider (WSP) Common Conformance Profile

160 This section defines the common conformance requirements for all Web Service Provider Profiles.

### 161 2.3.1. Basic SOAP Binding

162 Conforming WSPs MUST support the following SOAP Binding features

163 **wsp-soapbind-001** The WSP MUST conform to the requirements for receiving SOAP-bound ID-\* messages  
164 and sending their responses, as described in sections 4 and 5 of [[LibertySOAPBinding](#)].  
165 This includes support for sending and processing all required headers, and for failing if any  
166 unsupported Header is received with a `mustUnderstand` attribute set to true.

167 **wsp-soapbind-002** The WSP MUST process the UserInteraction Header, as described in [[LibertySOAPBinding](#)].

### 168 2.3.2. Basic Security Mechanisms

169 Conforming WSPs MUST be able to receive and process ID-WSF messages using the following Security Mechanisms

170 **wsp-secmech-001** The WSP MUST be able to receive and process ID-WSF messages using (at a minimum)

- 171 • urn:liberty:security:2003-08:null:null
- 172 • urn:liberty:security:2003-08:TLS:null

- 173 or
- 174 • urn:liberty:security:2005-02:null:Bearer
- 175 • urn:liberty:security:2005-02:TLS:Bearer
- 176 or
- 177 • urn:liberty:security:2004-12:null:SAMLV2
- 178 • urn:liberty:security:2004-12:TLS:SAMLV2
- 179 • urn:liberty:security:2004-12:ClientTLS:peerSAMLV2
- 180 as described in section 6 of [[LibertySecMech](#)] and section 4 of [[LibertySecMech20SAML](#)].

## 181 **2.4. SAML Service Provider (SP) Web Service Consumer (WSC)**

### 182 **Conformance Profile**

183 This section defines the requirements for the SAML SP Web Service Consumer Profile.

#### 184 **2.4.1. WSC Common**

185 Conforming SAML SP WSCs MUST support the Common WSC Profile

#### 186 **2.4.2. SAML SP WSC SOAP Binding**

187 Conforming SAML SP WSCs MUST support the following additional SOAP Binding features:

188 **samlsp-wsc-soapbind-001** The SAML SP WSC MUST send the SOAP Binding Sender Header, as described in  
189 [[LibertySOAPBinding](#)].

190 **samlsp-wsc-soapbind-002** SAML SP WSCs MUST support redirect based user interaction, as described in  
191 section 7 of [[LibertySOAPBinding](#)].

#### 192 **2.4.3. SAML SP WSC Security Mechanisms**

193 Conforming SAML SP WSCs MUST be able to construct and send ID-WSF messages using the following additional  
194 Security Mechanisms:

195 **samlsp-wsc-secmech-001** The WSC MUST be able to construct and send ID-WSF messages using

- 196 • urn:liberty:security:2004-12:null:SAMLV2
- 197 • urn:liberty:security:2004-12:TLS:SAMLV2
- 198 • urn:liberty:security:2004-12:ClientTLS:SAMLV2

199 as described in section 6 of [[LibertySecMech](#)] and section 4 of [[LibertySecMech20SAML](#)].

#### 200 **2.4.4. SAML DS Bootstrap**

201 Conforming SAML SP WSCs MUST support Discovery Service Bootstrap:

202 **samlsp-wsc-bootstrap-001** The SAML SP WSC MUST support extraction of the Principal's Discovery Service  
203 EPR from the SAML assertion authenticating the Principal, as described in section 4 of  
204 [[LibertyDisco](#)].

#### 205 **2.4.5. SSO Service**

206 Conforming SAML SP WSCs MAY support obtaining SAML tokens from an IdP:

207 **samlsp-wsc-ssosvc-001** The SAML SP WSC MAY support invocation of an SSO Service using the SAML Token  
208 Service Profile, as described in section 6.4 of [[LibertyAuthn](#)].

#### 209 **2.4.6. Service Discovery and Service Invocation**

210 Conforming SAML SP WSCs MUST support discovery and invocation of at least one ID-WSF service:

211 **samlsp-wsc-discinvk-001** The SAML SP WSC MUST support querying and invocation of at least one ID-WSF  
212 service registered in a Principal's Discovery Service (samlsp-wsc-bootstrap-001), as described  
213 in [[LibertyDisco](#)].

214 **samlsp-wsc-discinvk-002** The SAML SP WSC MAY support discovery and invocation of PAOS services, as  
215 described in [[LibertyPAOS](#)].

#### 216 **2.4.7. Group & User Management and Invitations**

217 Conforming SAML SP WSCs MAY support management of groups & users and invitations in a People Service:

218 **samlsp-wsc-people-001** The SAML SP WSC MAY support management of groups & users, as described in  
219 sections 3.7-3.20 of [[LibertyPeopleService](#)].

220 **samlsp-wsc-people-002** The SAML SP WSC MAY support invitations, as described in section 4 of [[LibertyPeo-  
221 pleService](#)].

### 222 **2.5. Liberty User Agent or Device (LUAD) Web Service Consumer 223 (WSC) Conformance Profile**

224 This section defines the requirements for the LUAD Web Service Consumer Profile.

#### 225 **2.5.1. WSC Common**

226 Conforming LUAD WSCs MUST support the Common WSC Profile

#### 227 **2.5.2. LUAD**

228 Conforming LUAD WSCs MUST support the LUAD-WSC profile:

229 **luad-wsc-luad-001** The WSC MUST support LUAD-WSC profile, as described in section 3 of [[LibertyClientPro-  
230 files](#)].

---

### 231 **2.5.3. Authentication Service**

232 Conforming LUAD WSCs MUST support authentication via an IdP:

233 **luad-wsc-authsvc-001** The LUAD WSC MUST support invocation of an authentication service, as described in  
234 section 5 of [[LibertyAuthn](#)].

235 **luad-wsc-authsvc-002** The LUAD WSC MUST support the PLAIN and CRAM-MD5 authentication mecha-  
236 nisms, as referenced in appendix A of [[LibertyAuthn](#)].

237 **luad-wsc-authsvc-003** The LUAD WSC MUST support the password transforms Truncation, Lowercase, Upper-  
238 case, and Select, as described in appendix B of [[LibertyAuthn](#)].

### 239 **2.5.4. SSO Service**

240 Conforming LUAD WSCs MAY support obtaining SAML tokens from an IdP:

241 **luad-wsc-ssosvc-001** The LUAD WSC MAY support invocation of an SSO Service using the SAML Token  
242 Service Profile, as described in section 6 of [[LibertyAuthn](#)].

243 **luad-wsc-ssosvc-002** The LUAD WSC MAY support invocation of an SSO Service using the Enhanced Client or  
244 Proxy Profile, as described in section 6 of [[LibertyAuthn](#)].

### 245 **2.5.5. Service Discovery and Service Invocation**

246 Conforming LUAD WSCs MUST support discovery and invocation of at least one ID-WSF service registered in a  
247 Principal's Discovery Service:

248 **luad-wsc-discinvk-001** The LUAD WSC MUST support querying the Principal's Discovery Service to obtain the  
249 EPR for at least one ID-WSF service, as described in section 3.3 of [[LibertyDisco](#)].

250 **luad-wsc-discinvk-002** The LUAD WSC MUST support invocation of at least one discovered ID-WSF service.

### 251 **2.5.6. Group & User Management and Invitations**

252 Conforming LUAD WSCs MAY support management of groups & users and invitations in a People Service:

253 **luad-wsc-people-001** The LUAD WSC MAY support management of groups & users, as described in sections  
254 3.7-3.20 of [[LibertyPeopleService](#)].

255 **luad-wsc-people-002** The LUAD WSC MAY support invitations, as described in section 4 of [[LibertyPeopleSer-](#)  
256 [vice](#)].

---

257 **2.6. SAML Service Provider (SP) Web Service Provider (WSP)**  
258 **Conformance Profile**

259 This section defines the requirements for the SAML SP Web Service Provider Profile.

260 **2.6.1. WSP Common**

261 Conforming SAML SP WSPs MUST support the Common WSP Profile

262 **2.6.2. Service Registration**

263 Conforming SAML SP WSPs MAY support registration with a Principal's Discovery Service:

264 **samlsp-wsp-registration-001** The SAML SP WSP MAY invoke the DS at a Principal's Discovery Service to  
265 register itself, as described in [[LibertyDisco](#)]. Note that the SAML SP WSP takes on the role of  
266 a WSC in making DS calls, and so is bound by all of the requirements specified in the applicable  
267 WSC profile.

268 **2.7. Liberty User Agent or Device (LUAD) Web Service Provider (WSP)**  
269 **Conformance Profile**

270 This section defines the requirements for the LUAD Web Service Provider Profile.

271 **2.7.1. WSP Common**

272 Conforming LUAD WSPs MUST support the Common WSP Profile

273 **2.7.2. LUAD**

274 Conforming LUAD WSPs MUST support the LUAD-WSP profile:

275 **luad-wsp-luad-001** The LUAD WSP MUST support the LUAD-WSP profile, as described in section 4 of  
276 [[LibertyClientProfiles](#)].

277 **2.7.3. Service Registration**

278 Conforming LUAD WSPs MAY support registration with a Principal's Discovery Service or advertisement and  
279 invocation via PAOS:

280 **luad-wsp-registration-001** The LUAD WSP MAY invoke a Principal's Discovery Service to register itself, as  
281 described in [[LibertyDisco](#)]. Note that the LUAD WSP takes on the role of a WSC in making  
282 DS calls, and so is bound by all of the requirements specified in the applicable WSC profile.

283 **luad-wsp-registration-002** The LUAD WSP MAY support advertisement and invocation via PAOS, as described  
284 in [[LibertyPAOS](#)].

## 285 **2.8. SAML Identity Provider (IdP) Conformance Profile**

286 This section defines the conformance requirements for the SAML Identity Provider Profile. By supporting this profile,  
287 SAML IdPs enable SAML SP WSCs.

### 288 **2.8.1. SAML DS Bootstrap**

289 Conforming SAML IdPs MUST support Discovery Service Bootstrap:

290 **samlidp-bootstrap-001** The SAML IdP MUST include the Principal's Discovery Service EPR in SAML asser-  
291 tions, as described in section 4 of [[LibertyDisco](#)].

## 292 **2.9. ID-WSF Identity Provider (IdP) Conformance Profile**

293 This section defines the conformance requirements for the ID-WSF Identity Provider Profile. By supporting this  
294 profile, IdPs enable LUAD WSCs.

### 295 **2.9.1. Authentication Service**

296 Conforming IdPs MUST support authentication requests:

297 **idwsfidp-authsvc-001** The IdP MUST respond to authentication requests, as described in section 5 of [[LibertyAu-](#)  
298 [thn](#)].

299 **idwsfidp-authsvc-002** The IdP MUST support the PLAIN and CRAM-MD5 authentication mechanisms, as  
300 referenced in appendix A of [[LibertyAuthn](#)].

### 301 **2.9.2. SSO Service**

302 Conforming IdPs MUST support sso requests:

303 **idwsfidp-ssosvc-001** The IdP MUST respond to sso requests, as described in section 6 of [[LibertyAuthn](#)].

### 304 **2.9.3. Identity Mapping Service**

305 Conforming IdPs MUST support identity mapping requests:

306 **idwsfidp-imsvc-001** The IdP MUST respond to identity mapping requests, as described in section 7 of [[LibertyAu-](#)  
307 [thn](#)].

## 308 **2.10. Discovery Service (DS) Conformance Profile**

309 This section defines the conformance requirements for the Discovery Service Profile.

### 310 **2.10.1. WSP Common**

311 Conforming DSs MUST support the Common WSP Profile

### 312 **2.10.2. LUAD**

313 Conforming DSs MAY support the LUAD-DS profile:



## 342 **References**

### 343 **Normative**

- 344 [LibertySOAPBinding] Hodges, Jeff, Kemp, John, Aarts, Robert, Whitehead, Greg, Madsen, Paul, eds. "Lib-  
345 erty ID-WSF SOAP Binding Specification," Version 2.0-14, Liberty Alliance Project (28 March, 2006).  
346 <http://www.projectliberty.org/specs>
- 347 [LibertySecMech] Hirsch, Frederick, eds. "Liberty ID-WSF Security Mechanisms Core," Version v2.0-18, Liberty  
348 Alliance Project (28 March 2006). <http://www.projectliberty.org/specs>
- 349 [LibertySecMech20SAML] Hirsch, Frederick, eds. "ID-WSF 2.0 SecMech SAML Profile," Version v2.0-14, Liberty  
350 Alliance Project (28 March 2006). <http://www.projectliberty.org/specs>
- 351 [LibertyDisco] Hodges, Jeff, Cahill, Conor, eds. "Liberty ID-WSF Discovery Service Specification," Version 2.0-24,  
352 Liberty Alliance Project (27 Mar 2006). <http://www.projectliberty.org/specs>
- 353 [LibertyInteract] Aarts, Robert, Madsen, Paul, eds. "Liberty ID-WSF Interaction Service Specification," Version 2.0-  
354 07, Liberty Alliance Project (28 March, 2006). <http://www.projectliberty.org/specs>
- 355 [LibertyPAOS] Aarts, Robert, Kemp, John, eds. "Liberty Reverse HTTP Binding for SOAP Specification," Version  
356 2.0-04, Liberty Alliance Project (28 March 2006). <http://www.projectliberty.org/specs>
- 357 [LibertyAuthn] Hodges, Jeff, Aarts, Robert, Madsen, Paul, Cantor, Scott, eds. " Liberty ID-WSF Authentication,  
358 Single Sign-On, and Identity Mapping Services Specification ," Version v2.0-16, Liberty Alliance Project  
359 (27 March 2006). <http://www.projectliberty.org/specs>
- 360 [LibertyClientProfiles] Aarts, Robert, Kainulainen, Jukka, Kemp, John, eds. Version v2.0-04, Liberty Alliance Project  
361 (27 Mar 2006). <http://www.projectliberty.org/specs>
- 362 [LibertyPeopleService] Koga, Yuzo, Madsen, Paul, eds. "Liberty ID-WSF People Service Specification," Version  
363 1.0-08, Liberty Alliance Project (Sept 19 2005). <http://www.projectliberty.org/specs>

### 364 **Informative**

- 365 [LibertyIDWSFGuide] Weitzel, David, eds. "Liberty ID-WSF Implementation Guide," Version 2.0-02, Liberty  
366 Alliance Project (13 January, 2005). <http://www.projectliberty.org/specs>
- 367 [LibertyGlossary] Hodges, Jeff, eds. "Liberty Technical Glossary," Version v2.0-05, Liberty Alliance Project (28  
368 March 2006). <http://www.projectliberty.org/specs>